



For Marine and  
Engineering Purposes  
Construction :  
6 Strands  
24 Wires per Strand  
7 Fiber Core

**AS MARINE**  
PT. ANUGRAH SUKSES MARINE  
*Aman dan Pasti*  
☎ 021.691.9595

**6 × 24 + 7FC**

Diameter of Rope(mm)	Minimum Breaking Load				Approx. Weight per meter(kg/m)
	A & BG(165kg/mm <sup>2</sup> )		B & CG(180kg/mm <sup>2</sup> )		
	kN	Tonnef	kN	Tonnef	
8	31.5	3.21	34.3	3.50	0.212
9	39.8	4.06	43.4	4.43	0.269
9.5	44.4	4.53	48.4	4.94	0.290
10	49.2	5.02	53.6	5.47	0.332
11.2	61.7	6.29	67.3	6.86	0.416
12	70.8	7.22	77.2	7.87	0.478
12.5	76.9	7.84	83.8	8.55	0.519
14	96.4	9.83	105.0	10.70	0.651
16	125.5	12.80	137.3	14.00	0.850
18	158.9	16.20	173.6	17.70	1.080
19.1	180.4	18.40	197.1	20.10	1.210
20	197.1	20.10	214.8	21.90	1.330
22.4	247.1	25.20	269.7	27.50	1.670
24	283.4	28.90	308.9	31.50	1.910
25	306.9	31.30	334.4	34.10	2.080
26	332.4	33.90	362.8	37.00	2.240
28	385.4	39.30	419.7	42.80	2.600
30	442.3	45.10	482.5	49.20	2.990
31.5	488.4	49.80	532.5	54.30	3.290
33.5	552.1	56.30	602.1	61.40	3.730
35.5	619.8	63.20	675.7	68.90	4.180
37.5	691.4	70.50	754.1	76.90	4.670
38	710.0	72.40	773.7	78.90	4.790
40	786.5	80.20	857.1	87.40	5.310
42.5	888.5	90.60	968.9	98.80	6.000
44	952.2	97.10	1,029.7	105.00	6.430
45	1,000.3	102.00	1,157.2	118.00	6.720
47.5	1,108.2	113.00	1,206.2	123.00	7.490
50	1,225.8	125.00	1,333.7	136.00	8.300
53	1,382.7	141.00	1,510.2	154.00	9.330
56	1,539.6	157.00	1,676.9	171.00	10.400
58	1,657.3	169.00	1,804.4	184.00	11.200
60	1,765.2	180.00	1,922.1	196.00	12.000
63	1,951.5	199.00	2,128.0	217.00	13.200